

FIG. 1




FIG. 2A

FIG. 2D




FIG. 2C





FIG. 2B







FIG. 3

FIG. 4A






FIG. 4B




FIG. 5




FIG. 6A




FIG. 6B





FIG. 7




815


Custom - C:\NETMANAG\TCP/IP.CFG									
<u>File</u> <u>Interface</u> <u>Setup</u> <u>Services</u> <u>Disconnect</u> <u>Help</u>									
Interface:	PPPO - COM1, 57600 baud								
Dial:	3826245								
IP Address:	198.137.231.20								
Subnet Mask:	255.255.255.0								
Host Name:	boutell								
Domain Name:									
<table border="1"> <thead> <tr> <th>NAME</th> <th>TYPE</th> <th>IP</th> <th>DOMAIN</th> </tr> </thead> <tbody> <tr> <td>PPPO</td> <td>PPP</td> <td>198.137.231.20</td> <td></td> </tr> </tbody> </table>		NAME	TYPE	IP	DOMAIN	PPPO	PPP	198.137.231.20	
NAME	TYPE	IP	DOMAIN						
PPPO	PPP	198.137.231.20							

Custom - C:\NETMANAG\TCP/IP.CFG					
<input type="button" value="Stop"/> <input type="button" value="Save"/> <input type="button" value="Print"/> <input type="button" value="Copy"/> <input type="button" value="Clear"/> <input type="button" value="Close"/>					
login: boutell boutell Password: *****					
<input type="button" value="◀"/>	<input type="button" value="▶"/>	<input type="button" value="◀"/>	<input type="button" value="▶"/>	<input type="button" value="◀"/>	<input type="button" value="▶"/>

FIG. 8B



F/G. 10






FIG. 11




FIG. 12




FIG. 13

